Available online at www.sciencedirect.com
SCIENCE DIRECT®
Journal of Organometallic Chemistry 683 (2003) 435–436
Journal of Organometallic Chemistry
www.elsevier.com/locate/jorganchem

Author Index of Volume 683

Abrenica, E., 324
Adams, R.D., 421
Ahrens, B., 324
Allen, S.D., 137
Antiñolo, A., 11
Arif, A.M., 64
Arndt, P., 261

Babik, S.T., 209
Baird, M.C., 114
Balboni, D., 2
Bassetti, M., 406
Basta, R., 64
Baumann, W., 261
Bianchini, C., 406
Blümel, J., 354
Bochmann, M., 1
Botoshansky, M., 165
Boyd, C.L., 120
Brennessel, W.W., 191
Brintzinger, H.H., 92
Bruce, M.I., 398
Brunkan, N.M., 77
Bryliakov, K.P., 23, 92
Buitrago, O., 70
Bunz, U.H.F., 267, 269
Burns, C.T., 240
Burzlaff, N., 301

Cai, C.-X., 131
Campbell, K., 379
Cámpora, J., 220
Camurati, I., 2
Captain, B., 421
Carlson, C.N., 149, 191
Carpentier, J.-F., 44, 131
Chan, H.-S., 39
Clarke, L.P., 313
Coat, F., 368
Coates, G.W., 137
Costuas, K., 368
Cowley, A.R., 120
Croft, A.C.R., 120
Cuenca, T., 70

Darwish, O.S., 430
Davies, J.E., 313
del Mar Conejo, M., 220
Dikarev, E.V., 337

Eisen, M.S., 165
Erker, G., 249
Ernst, R.D., 64

Fajardo, M., 11
Feil, F., 56
Ferguson, M.J., 379
Fettinger, J.C., 29
Fink, G., 209
Fischer, H., 301
Focante, F., 2

Gómez-Ruiz, S., 11
Goroff, N.S., 337
Gromada, J., 44
Guidotti, S., 2

Halet, J.-F., 368
Haley, M.M., 430
Hanusa, T.P., 149, 191
Hardcastle, K.I., 324
Harder, S., 56
Herdtweck, E., 155
Hitchcock, P.B., 83
Ho, K.-Y., 341
Ho, S.-L., 341
Hu, Q.Y., 331

Ingurgio, A.C., 2

Jablonski, C.G., 388
Jerome, J., 324
Jia, G., 331
Jiménez, G., 70
John, K.D., 149
Jones, W.D., 77
Jordan, R.F., 240

Kehr, G., 249
Kimberley, B.S., 103
Kissounko, D.A., 29
Knight, P.D., 103
Kociok-Köhn, G., 200
Köhn, R.D., 200
Krupenya, D.V., 313
Kuehl, C.J., 149

La Groia, A., 406
Lapinte, C., 368
Lappert, M.F., 83
Lehmann, C.W., 131
Leising, F., 44
le Pichon, L., 44
Lin, Z., 341
Liu, S.H., 331
Lobkovsky, E.B., 137
López-Solera, I., 11
Lo Sterzo, C., 406

MacKinnon, A.L., 114
Mahon, M.F., 200
Masi, D., 406
Matchett, J., 324
Matsuo, Y., 295
McClain, R., 324
McDonald, R., 379
Melikyan, G.G., 324
Mereiter, K., 220
Mihan, S., 200
Moore, D.R., 137
Mortreux, A., 44
Mountford, P., 120
Müller, C., 56
Müller, T.J.J., 354
Munslow, I.J., 103

Nakamura, E., 295

O'Shaughnessy, P.N., 103
Otero, A., 11

Pak, J.J., 430
Palma, P., 220
Paul, F., 368
Paulsen, K., 324
Pérez, C., 220
Petrukhina, M.A., 337
Prashar, S., 11
Prinz, M., 200

Raithby, P.R., 313
Ren, T., 388
Resconi, L., 2
Reyes, M.L., 220
Riahi, B., 324
Ricci, A., 406
Rodríguez, A.M., 11
Rosenthal, U., 261
Roth, G., 301
Royo, P., 155
Ruiz, C., 220
Rytter, E., 92

Sattelberger, A.P., 149
Scanlon, S., 324
Scott, P., 103
Semikolenova, N.V., 23, 92
Sepanian, S., 324
Sharp, P.R., 288
Shaviv, E., 165
Shen, H., 240
Shields, G.P., 313
Simpson, C.K., 149

Elsevier B.V.
doi:10.1016/S0022-328X(03)00935-5

Sita, L.R., 29
Skelton, B.W., 398
Smith, D., 200
Smith, J.D., 191
Smith, J.L., Jr., 421
Spannenberg, A., 261
Starova, G.L., 313
Strauch, J.W., 249
Szesni, N., 301

Talsi, E.P., 23, 92
Taube, R., 181
Tobisch, S., 181
Toganoh, M., 295
Toupet, L., 131, 368
Tunik, S.P., 313
Tykwinski, R.R., 379

Vázquez, A.B., 155
Villena, F., 324

Wan, K.L., 331
Wang, H., 39, 39
Wang, Y., 39
Weakley, T.J.R., 430
Wei, X.-H., 83
Weibert, B., 301
White, A.H., 398
Wong, W.-Y., 341

Xia, H., 331
Xie, Z., 39
Xu, G.-L., 388

Yeung, R.C.Y., 331
Young, V.G., Jr., 191
Ystenes, M., 92
Yudaev, D.V., 92

Zaitseva, N.N., 398
Zakharov, V.A., 23, 92

Available online at www.sciencedirect.com
SCIENCE DIRECT
ELSEVIER
Journal of Organometallic Chemistry 683 (2003) 437–442
Journal of Organometallic Chemistry
www.elsevier.com/locate/jorganchem

Subject Index of Volume 683

Acenaphthylene
The activation and transformations of acenaphthylene by osmium carbonyl cluster complexes, 421
Acenapthyne
The activation and transformations of acenaphthylene by osmium carbonyl cluster complexes, 421
Acetylide
Organometallic chemistry at the edge of polycyclic aromatic hydrocarbons, 288
Synthesis and crystallographic characterization of a 'palladadehydrobenzo[19]annulene', 430
Alkenyl
Synthesis of $[TpRu(CO)(PPh_3)]_2(\mu\text{-}CH{=}CH{-}CH{=}CH{-}C_6H_4{-}CH{=}CH{-}CH{=}CH)$ from Wittig reactions, 331
Alkyl
Synthesis of dialkyl, diaryl and metallacyclic complexes of Ni and Pd containing pyridine, α-diimines and other nitrogen ligands: Crystal structures of the complexes *cis*-NiR_2py_2 (R = benzyl, mesityl), 220
Titanium and zirconium chloro, oxo and alkyl derivatives containing silyl-cyclopentadienyl ligands. Synthesis and characterisation, 70
Alkyl complexes
Synthesis, structure and reactivity of new yttrium bis(dimethylsilyl)amido and bis(trimethylsilyl)methyl complexes of a tetradentate bis(phenoxide) ligand, 131
Alkylmagnesium
Neodymium alk(aryl)oxides–dialkylmagnesium systems for butadiene polymerization and copolymerization with styrene and glycidyl methacrylate, 44
Alkynes
New carbon-rich organometallic architectures based on cyclobutadienecyclopentadienylcobalt and ferrocene modules, 269
Alkynylation
Further studies of tetrakis(*N*,*N*′-dialkylbenzamidinato)diruthenium(III) chloro and alkynyl compounds: molecular engineering of metallayne monomers, 388
Alkynyl complexes
Carbon-rich organometallic materials derived from 4-ethynylphenylferrocene, 341
Using ligand exchange reactions to control the coordination environment of Pt(II) acetylide complexes: applications to conjugated metallacyclynes, 379
All-carbon chain
Chemistry of the 1,3,5,7-octatetraynediyl carbon rod end-capped by two electron-rich $(\eta^5\text{-}C_5Me_5)(\eta^2\text{-}dppe)Fe$ groups, 368
Allenylidene complexes
A new method for the preparation of *N*-stabilized allenylidene complexes of chromium and tungsten, 301
Allyl
Group 4 metallocene complexes incorporating vinyl or allyl substituted *ansa* ligands. X-Ray crystal structures of $[Zr\{Me(CH_2{=}CH)Si(\eta^5\text{-}C_5Me_4)_2\}Cl_2]$, $[Zr\{Me(CH_2{=}CHCH_2)Si(\eta^5\text{-}C_5H_4)_2\}Cl_2]$ and $[Zr\{Me(CH_2{=}CHCH_2)Si(\eta^5\text{-}C_5Me_4)(\eta^5\text{-}C_5H_4)\}Cl_2]$, 11
π-Allyl
Preparation, structure, and dynamics of a nickel π-allyl cyanide complex, 77
Allyl
Homoleptic allyl complexes of chromium with trimethylsilylated ligands. Formation and molecular structure of $\{[1\text{-}(SiMe_3)C_3H_4]_2Cr\}_2$, $[1,3\text{-}(SiMe_3)_2C_3H_3]_2Cr$, and $[1,1',3\text{-}(SiMe_3)_3C_3H_2]_2Cr$, 191
Monomeric f-element chemistry with sterically encumbered allyl ligands, 149
Allyl complexes
Neodymium alk(aryl)oxides–dialkylmagnesium systems for butadiene polymerization and copolymerization with styrene and glycidyl methacrylate, 44
Allylic isomerization
Theoretical exploration of structure–reactivity relationships in organometallic chemistry: butadiene insertion into the organyl–transition-metal bond and conversion of the allyl–transition-metal fragment in the $[Ni^{II}(\eta^5\text{-}Cp)(\eta^1\text{-}phenyl)(\eta^2\text{-}butadiene)]$ complex, 181
(π-Allyl)nickel complexes
Preparation of chelate bis(imine)nickel allyl systems by reaction of their corresponding butadiene complexes with electrophiles, 249
π-Amide
Synthesis and structure of the edge-bridged open zirconocene, $Zr(6,6\text{-}dmch)_2(PMe_3)_2$ (dmch = dimethylcyclohexadienyl), and its imine coupling product, 64
Amide
Organometallic and related imidotitanium compounds containing a pendant arm functionalised benzamidinate ligand, 120
Amido complexes
Synthesis, structure and reactivity of new yttrium bis(dimethylsilyl)amido and bis(trimethylsilyl)methyl complexes of a tetradentate bis(phenoxide) ligand, 131
1,2 and 2,1 propylene insertion
Propylene bulk phase oligomerization with bisiminepyridine iron complexes in a calorimeter: mechanistic investigation of 1,2 versus 2,1 propylene insertion, 209
ansa-Metallocene complexes
Group 4 metallocene complexes incorporating vinyl or allyl substituted *ansa* ligands. X-Ray crystal structures of $[Zr\{Me(CH_2{=}CH)Si(\eta^5\text{-}C_5Me_4)_2\}Cl_2]$, $[Zr\{Me(CH_2{=}CHCH_2)Si(\eta^5\text{-}C_5H_4)_2\}Cl_2]$ and $[Zr\{Me(CH_2{=}CHCH_2)Si(\eta^5\text{-}C_5Me_4)(\eta^5\text{-}C_5H_4)\}Cl_2]$, 11
Arene complexes
Coordination chemistry of the activation of $[(triazacyclohexane)CrCl_3]$ with $[PhNMe_2H][B(C_6F_5)_4]$ and AlR_3, 200
Synthesis, structure, electronic properties and thermal behavior of butadiynyl substituted phenyl$Cr(CO)_3$-complexes, 354
Aryloxy
Organometallic and related imidotitanium compounds containing a pendant arm functionalised benzamidinate ligand, 120
1-Azaallyls

Elsevier B.V.
doi:10.1016/S0022-328X(03)00933-1

Synthesis and structures of crystalline lithium 1-azaallyls and a 1,3-diazaallyl derived from Li{CH(SiMe$_3$)(SiMe$_{3-n}$(OMe)$_n$)} ($n = 1$ or 2) and Li{CH(SiMe$_2$OMe)$_2$} and RCN (R = ^{t}Bu, Ph, 2,5-Me$_2$C$_6$H$_3$, or Ad), 83

Benzamidiate ligands
Organometallic and related imidotitanium compounds containing a pendant arm functionalised benzamidinate ligand, 120

Bimetallic
Synthesis of [TpRu(CO)(PPh$_3$)]$_2$(μ-CH=CH–CH=CH–C$_6$H$_4$–CH=CH–CH=CH) from Wittig reactions, 331

Bisiminepyridine iron complex
Propylene bulk phase oligomerization with bisiminepyridine iron complexes in a calorimeter: mechanistic investigation of 1,2 versus 2,1 propylene insertion, 209

Block copolymers
Neodymium alk(aryl)oxides–dialkylmagnesium systems for butadiene polymerization and copolymerization with styrene and glycidyl methacrylate, 44

Boron Lewis acids
Preparation of chelate bis(imine)nickel allyl systems by reaction of their corresponding butadiene complexes with electrophiles, 249

Bulky ligands
Homoleptic allyl complexes of chromium with trimethylsilylated ligands. Formation and molecular structure of {[1-(SiMe$_3$)C$_3$H$_4$]$_2$Cr}$_2$, [1,3-(SiMe$_3$)$_2$C$_3$H$_3$]$_2$Cr, and [1,1′,3-(SiMe$_3$)$_3$C$_3$H$_2$]$_2$Cr, 191

Bulley ligands
Monomeric f-element chemistry with sterically encumbered allyl ligands, 149

(Butadiene)nickel complexes
Preparation of chelate bis(imine)nickel allyl systems by reaction of their corresponding butadiene complexes with electrophiles, 249

Butadiynes
Synthesis, structure, electronic properties and thermal behavior of butadiynyl substituted phenylCr(CO)$_3$-complexes, 354

Calcium
α-Methyl-benzylcalcium complexes: syntheses, structures and reactivity, 56

Carbanion
α-Methyl-benzylcalcium complexes: syntheses, structures and reactivity, 56

Carbene complexes
A new method for the preparation of *N*-stabilized allenylidene complexes of chromium and tungsten, 301

Carbon chains
Preparation and molecular structures of some complexes containing C$_5$ chains, 398

Carbon-rich materials
New carbon-rich organometallic architectures based on cyclobutadienecyclopentadienylcobalt and ferrocene modules, 269

Carbonyl cluster
Molecular rearrangements of diynes coordinated to triosmium carbonyl clusters: the synthesis and structural characterisation of [Os$_3$(μ-H)(CO)$_{10}${μ$_3$-η^1:η^3:η^1-Ph(C)C$_9$H$_6$)}], [Os$_3$(μ-H)(CO)$_9${μ$_3$-η^1:η^3:η^1-Ph(C)C$_9$H$_6$)}] and [Os$_3$(μ-H)(CO)$_8$(MeCN){μ$_3$-η^1:η^3:η^1-Ph(C)C$_9$H$_6$)}], 313

Carborane
Reactions of L$_2$Zr(NMe$_2$)$_2$ with Me$_3$Al and PhC≡CH: synthesis and structural characterization of new zirconium carborane complexes [L$_2$ = Me$_2$Si(C$_9$H$_6$)(C$_2$B$_{10}$H$_{10}$) and Me$_2$C(C$_5$H$_4$)(C$_2$B$_{10}$H$_{10}$)], 39

Catalysis
Synthesis and catalytic activity of rhodium diene complexes bearing indenyl-type fullerene η^5-ligand, 295

Cationic allyl complexes
Synthesis and characterization of cationic and zwitterionic allyl zirconium complexes derived from trimethylenemethane (TMM) cyclopentadienylzirconium acetamidinates, 29

Cationic intermediates
^{13}C-NMR study of Ti(IV) species formed by Cp*TiMe$_3$ and Cp*TiCl$_3$ activation with methylaluminoxane (MAO), 23

C–C Coupling
The activation and transformations of acenaphthylene by osmium carbonyl cluster complexes, 421

C–H activation
α-Methyl-benzylcalcium complexes: syntheses, structures and reactivity, 56

Chelate complexes
Synthesis, structure and reactivity of new yttrium bis(dimethylsilyl)amido and bis(trimethylsilyl)methyl complexes of a tetradentate bis(phenoxide) ligand, 131

Chlorination
A counterintuitive, yet efficient synthesis of bis(indenyl)zirconium dihalides, 2

Chlorosilyl-cyclopentadienyl
Hydro- and chloro-substituted silyl- and silyl-η^1-amido-η^5-tetramethylcyclopentadienyl titanium complexes, 155

Chromium
A new method for the preparation of *N*-stabilized allenylidene complexes of chromium and tungsten, 301
Coordination chemistry of the activation of [(triazacyclohexane)CrCl$_3$] with [PhNMe$_2$H][B(C$_6$F$_5$)$_4$] and AlR$_3$, 200
Homoleptic allyl complexes of chromium with trimethylsilylated ligands. Formation and molecular structure of {[1-(SiMe$_3$)C$_3$H$_4$]$_2$Cr}$_2$, [1,3-(SiMe$_3$)$_2$C$_3$H$_3$]$_2$Cr, and [1,1′,3-(SiMe$_3$)$_3$C$_3$H$_2$]$_2$Cr, 191
The molecular structure of Cr[(CH$_2$)$_2$PMe$_2$]$_3$: dimethylphosphonium-bis-methylide chromium compounds as inner-phosphonium-alkyl-ate- or 2-phospha-allyl-complexes?, 261

Chromium compounds
Synthesis, structure, electronic properties and thermal behavior of butadiynyl substituted phenylCr(CO)$_3$-complexes, 354

Cobalt
New carbon-rich organometallic architectures based on cyclobutadienecyclopentadienylcobalt and ferrocene modules, 269
Tetrahydrofuran-mediated radical processes: stereoselective synthesis of D,L-hexestrol, 324

Complex
Monomeric f-element chemistry with sterically encumbered allyl ligands, 149

Conjugated organometallic polymers
Preparation of models and oligomers of metal alkynyls: NMR, GPC and X-ray structural characterization of building blocks for the construction of molecular devices, 406

Copper
New carbon-rich organometallic architectures based on cyclobutadienecyclopentadienylcobalt and ferrocene modules, 269

Crystal structure
Homoleptic allyl complexes of chromium with trimethylsilylated ligands. Formation and molecular structure of {[1-(SiMe$_3$)C$_3$H$_4$]$_2$Cr}$_2$, [1,3-(SiMe$_3$)$_2$C$_3$H$_3$]$_2$Cr, and [1,1′,3-(SiMe$_3$)$_3$C$_3$H$_2$]$_2$Cr, 191
Monomeric f-element chemistry with sterically encumbered allyl ligands, 149

Crystal structures
Expanding the scope of solvent-free synthesis: entrapment of thermally unstable species, 337

Cumulene
Reactions of L$_2$Zr(NMe$_2$)$_2$ with Me$_3$Al and PhC≡CH: synthesis and structural characterization of new zirconium carborane complexes [L$_2$ = Me$_2$Si(C$_9$H$_6$)(C$_2$B$_{10}$H$_{10}$) and Me$_2$C(C$_5$H$_4$)(C$_2$B$_{10}$H$_{10}$)], 39

Cyclobutadiene complexes
New carbon-rich organometallic architectures based on cyclobuta-

dienecyclopentadienylcobalt and ferrocene modules, 269
Cyclohexadienyl
Synthesis and structure of the edge-bridged open zirconocene, $Zr(6,6\text{-dmch})_2(PMe_3)_2$ (dmch = dimethylcyclohexadienyl), and its imine coupling product, 64
Dehydro[14]annulenes
New carbon-rich organometallic architectures based on cyclobutadienecyclopentadienylcobalt and ferrocene modules, 269
Dehydro[18]annulenes
New carbon-rich organometallic architectures based on cyclobutadienecyclopentadienylcobalt and ferrocene modules, 269
Dendrimers
New carbon-rich organometallic architectures based on cyclobutadienecyclopentadienylcobalt and ferrocene modules, 269
Diacetylene
Synthesis and crystallographic characterization of a 'palladadehydrobenzo[19]annulene', 430
1,3-Diazaallyls
Synthesis and structures of crystalline lithium 1-azaallyls and a 1,3-diazaallyl derived from $Li\{CH(SiMe_3)(SiMe_{3-n}(OMe)_n)\}$ ($n = 1$ or 2) and $Li\{CH(SiMe_2OMe)_2\}$ and RCN (R = ^{t}Bu, Ph, 2,5-$Me_2C_6H_3$, or Ad), 83
Diene polymerization
Neodymium alk(aryl)oxides–dialkylmagnesium systems for butadiene polymerization and copolymerization with styrene and glycidyl methacrylate, 44
Diiminate ligands
Structure and reactivity of mono- and dinuclear diiminate zinc alkyl complexes, 137
1,4-Diiodo-1,3-butadiyne
Expanding the scope of solvent-free synthesis: entrapment of thermally unstable species, 337
Diketiminates
β-Diketiminate complexes of Group 4: active complexes for the isomerization of α-olefins and the polymerization of propylene towards elastomeric polypropylene, 165
Dimethylphosphonium-bis-methylide
The molecular structure of $Cr[(CH_2)_2PMe_2]_3$: dimethylphosphonium-bis-methylide chromium compounds as inner-phosphonium-alkyl-ate- or 2-phospha-allyl-complexes?, 261
Dinuclear
Titanium and zirconium chloro, oxo and alkyl derivatives containing silyl-cyclopentadienyl ligands. Synthesis and characterisation, 70
Dirhodium(II) carboxylate
Expanding the scope of solvent-free synthesis: entrapment of thermally unstable species, 337
Diruthenium
Further studies of tetrakis(*N*,*N*′-dialkylbenzamidinato)diruthenium(III) chloro and alkynyl compounds: molecular engineering of metallayne monomers, 388
Diyne
Molecular rearrangements of diynes coordinated to triosmium carbonyl clusters: the synthesis and structural characterisation of $[Os_3(\mu\text{-}H)(CO)_{10}\{\mu_3\text{-}\eta^1\text{:}\eta^3\text{:}\eta^1\text{-}Ph(C)C_9H_6)\}]$, $[Os_3(\mu\text{-}H)(CO)_9\{\mu_3\text{-}\eta^1\text{:}\eta^3\text{:}\eta^1\text{-}Ph(C)C_9H_6)\}]$ and $[Os_3(\mu\text{-}H)(CO)_8(MeCN)\{\mu_3\text{-}\eta^1\text{:}\eta^3\text{:}\eta^1\text{-}Ph(C)C_9H_6)\}]$, 313
Dynamic NMR
Preparation, structure, and dynamics of a nickel π-allyl cyanide complex, 77
Elastomeric polypropylene
β-Diketiminate complexes of Group 4: active complexes for the isomerization of α-olefins and the polymerization of propylene towards elastomeric polypropylene, 165
Enamides
Synthesis and structures of crystalline lithium 1-azaallyls and a 1,3-diazaallyl derived from $Li\{CH(SiMe_3)(SiMe_{3-n}(OMe)_n)\}$ ($n = 1$ or 2) and $Li\{CH(SiMe_2OMe)_2\}$ and RCN (R = ^{t}Bu, Ph, 2,5-$Me_2C_6H_3$, or Ad), 83
EOP synthesis
Preparation of models and oligomers of metal alkynyls: NMR, GPC and X-ray structural characterization of building blocks for the construction of molecular devices, 406
EPR
^{13}C-NMR study of Ti(IV) species formed by Cp^*TiMe_3 and Cp^*TiCl_3 activation with methylaluminoxane (MAO), 23
Ethene polymerization.
Preparation of chelate bis(imine)nickel allyl systems by reaction of their corresponding butadiene complexes with electrophiles, 249
^{57}Fe Mössbauer
Chemistry of the 1,3,5,7-octatetraynediyl carbon rod end-capped by two electron-rich (η^5-C_5Me_5)(η^2-dppe)Fe groups, 368
Ferrocene
Carbon-rich organometallic materials derived from 4-ethynylphenylferrocene, 341
Fluorenone
Carbon-rich organometallic materials derived from 4-ethynylphenylferrocene, 341
Fullerene
Synthesis and catalytic activity of rhodium diene complexes bearing indenyl-type fullerene η^5-ligand, 295
Hafnium
Group 4 metallocene complexes incorporating vinyl or allyl substituted *ansa* ligands. X-Ray crystal structures of $[Zr\{Me(CH_2{=}CH)Si(\eta^5\text{-}C_5Me_4)_2\}Cl_2]$, $[Zr\{Me(CH_2{=}CHCH_2)Si(\eta^5\text{-}C_5H_4)_2\}Cl_2]$ and $[Zr\{Me(CH_2{=}CHCH_2)Si(\eta^5\text{-}C_5Me_4)(\eta^5\text{-}C_5H_4)\}Cl_2]$, 11
Half-titanocene catalysts
^{13}C-NMR study of Ti(IV) species formed by Cp^*TiMe_3 and Cp^*TiCl_3 activation with methylaluminoxane (MAO), 23
^{1}H- and ^{13}C-NMR
^{1}H-, ^{13}C-NMR and ethylene polymerization studies of zirconocene/MAO catalysts: effect of the ligand structure on the formation of active intermediates and polymerization kinetics, 92
Hexestrol
Tetrahydrofuran-mediated radical processes: stereoselective synthesis of D,L-hexestrol, 324
Hydroboration
Group 4 metallocene complexes incorporating vinyl or allyl substituted *ansa* ligands. X-Ray crystal structures of $[Zr\{Me(CH_2{=}CH)Si(\eta^5\text{-}C_5Me_4)_2\}Cl_2]$, $[Zr\{Me(CH_2{=}CHCH_2)Si(\eta^5\text{-}C_5H_4)_2\}Cl_2]$ and $[Zr\{Me(CH_2{=}CHCH_2)Si(\eta^5\text{-}C_5Me_4)(\eta^5\text{-}C_5H_4)\}Cl_2]$, 11
Hydrogenation
Group 4 metallocene complexes incorporating vinyl or allyl substituted *ansa* ligands. X-Ray crystal structures of $[Zr\{Me(CH_2{=}CH)Si(\eta^5\text{-}C_5Me_4)_2\}Cl_2]$, $[Zr\{Me(CH_2{=}CHCH_2)Si(\eta^5\text{-}C_5H_4)_2\}Cl_2]$ and $[Zr\{Me(CH_2{=}CHCH_2)Si(\eta^5\text{-}C_5Me_4)(\eta^5\text{-}C_5H_4)\}Cl_2]$, 11
Imido
Organometallic and related imidotitanium compounds containing a pendant arm functionalised benzamidinate ligand, 120
Imine coupling
Synthesis and structure of the edge-bridged open zirconocene, $Zr(6,6\text{-dmch})_2(PMe_3)_2$ (dmch = dimethylcyclohexadienyl), and its imine coupling product, 64
Indenyl ligand
Synthesis and catalytic activity of rhodium diene complexes bearing indenyl-type fullerene η^5-ligand, 295
Isomerization
β-Diketiminate complexes of Group 4: active complexes for the isomerization of α-olefins and the polymerization of propylene towards elastomeric polypropylene, 165
Lanthanide

Monomeric f-element chemistry with sterically encumbered allyl ligands, 149
Linked amido-cyclopentadienyl
Hydro- and chloro-substituted silyl- and silyl-η^1-amido-η^5-tetramethylcyclopentadienyl titanium complexes, 155
Lithium
Synthesis and structures of crystalline lithium 1-azaallyls and a 1,3-diazaallyl derived from $Li\{CH(SiMe_3)(SiMe_{3-n}(OMe)_n)\}$ ($n = 1$ or 2) and $Li\{CH(SiMe_2OMe)_2\}$ and RCN (R = ^{t}Bu, Ph, 2,5-$Me_2C_6H_3$, or Ad), 83
Metal alkyl
Reactions of $L_2Zr(NMe_2)_2$ with Me_3Al and PhC≡CH: synthesis and structural characterization of new zirconium carborane complexes [$L_2 = Me_2Si(C_9H_6)(C_2B_{10}H_{10})$ and $Me_2C(C_5H_4)(C_2B_{10}H_{10})$], 39
Metal amide
Reactions of $L_2Zr(NMe_2)_2$ with Me_3Al and PhC≡CH: synthesis and structural characterization of new zirconium carborane complexes [$L_2 = Me_2Si(C_9H_6)(C_2B_{10}H_{10})$ and $Me_2C(C_5H_4)(C_2B_{10}H_{10})$], 39
Metal boron betaines
Preparation of chelate bis(imine)nickel allyl systems by reaction of their corresponding butadiene complexes with electrophiles, 249
Metallacycle
Reactions of $L_2Zr(NMe_2)_2$ with Me_3Al and PhC≡CH: synthesis and structural characterization of new zirconium carborane complexes [$L_2 = Me_2Si(C_9H_6)(C_2B_{10}H_{10})$ and $Me_2C(C_5H_4)(C_2B_{10}H_{10})$], 39
Synthesis and crystallographic characterization of a 'palladadehydrobenzo[19]annulene', 430
Synthesis of dialkyl, diaryl and metallacyclic complexes of Ni and Pd containing pyridine, α-diimines and other nitrogen ligands: Crystal structures of the complexes *cis*-NiR_2py_2 (R = benzyl, mesityl), 220
Metallacycles
Organometallic chemistry at the edge of polycyclic aromatic hydrocarbons, 288
Using ligand exchange reactions to control the coordination environment of Pt(II) acetylide complexes: applications to conjugated metallacyclynes, 379
Metallayne
Further studies of tetrakis(*N*,*N*′-dialkylbenzamidinato)dirutheniu-m(III) chloro and alkynyl compounds: molecular engineering of metallayne monomers, 388
Metallocene catalysts
^{1}H-, ^{13}C-NMR and ethylene polymerization studies of zirconocene/MAO catalysts: effect of the ligand structure on the formation of active intermediates and polymerization kinetics, 92
Methyl
Organometallic and related imidotitanium compounds containing a pendant arm functionalised benzamidinate ligand, 120
Methylaluminoxane
^{13}C-NMR study of Ti(IV) species formed by Cp^*TiMe_3 and Cp^*TiCl_3 activation with methylaluminoxane (MAO), 23
Methyl complexes
Hydro- and chloro-substituted silyl- and silyl-η^1-amido-η^5-tetramethylcyclopentadienyl titanium complexes, 155
MMA polymerization
Synthesis, structure and reactivity of new yttrium bis(dimethylsilyl)amido and bis(trimethylsilyl)methyl complexes of a tetradentate bis(phenoxide) ligand, 131
Molecular orbital calculations
The molecular structure of $Cr[(CH_2)_2PMe_2]_3$: dimethylphosphonium-bis-methylide chromium compounds as inner-phosphonium-alkyl-ate- or 2-phospha-allyl-complexes?, 261
Molecular structures
Photochemical synthesis of a palladium dichloromethyl complex, {(hexyl)HC(*N*-methyl-imidazol-2-yl)$_2$}Pd($CHCl_2$)Cl. X-ray molecular structures of {(hexyl)HC(*N*-methylimidazolyl-2-yl)$_2$}Pd(X)Cl, X = Cl, and $CHCl_2$, 240
Mononuclear
Titanium and zirconium chloro, oxo and alkyl derivatives containing silyl-cyclopentadienyl ligands. Synthesis and characterisation, 70
Neodymium
Neodymium alk(aryl)oxides–dialkylmagnesium systems for butadiene polymerization and copolymerization with styrene and glycidyl methacrylate, 44
N-Heterocyclic carbene ligands
The synthesis and X-ray structure of *trans*-$NiCl_2$(1,3-bis(2,6-diisopropylphenyl)imidazol-2-ylidene)$_2$; attempts to polymerize olefins utilizing a nickel(II) complex of a sterically demanding *N*-heterocyclic carbene, 114
Nickel
Organometallic chemistry at the edge of polycyclic aromatic hydrocarbons, 288
Preparation, structure, and dynamics of a nickel π-allyl cyanide complex, 77
Synthesis of dialkyl, diaryl and metallacyclic complexes of Ni and Pd containing pyridine, α-diimines and other nitrogen ligands: Crystal structures of the complexes *cis*-NiR_2py_2 (R = benzyl, mesityl), 220
The synthesis and X-ray structure of *trans*-$NiCl_2$(1,3-bis(2,6-diisopropylphenyl)imidazol-2-ylidene)$_2$; attempts to polymerize olefins utilizing a nickel(II) complex of a sterically demanding *N*-heterocyclic carbene, 114
Nickel complexes
Theoretical exploration of structure–reactivity relationships in organometallic chemistry: butadiene insertion into the organyl–transition-metal bond and conversion of the allyl–transition-transition-metal fragment in the [$Ni^{II}(\eta^5$-Cp)(η^1-phenyl)(η^2-butadiene)] complex, 181
Nitrogen ligands
Synthesis of dialkyl, diaryl and metallacyclic complexes of Ni and Pd containing pyridine, α-diimines and other nitrogen ligands: Crystal structures of the complexes *cis*-NiR_2py_2 (R = benzyl, mesityl), 220
NMR
Chemistry of the 1,3,5,7-octatetraynediyl carbon rod end-capped by two electron-rich (η^5-C_5Me_5)(η^2-dppe)Fe groups, 368
^{13}C-NMR study of Ti(IV) species formed by Cp^*TiMe_3 and Cp^*TiCl_3 activation with methylaluminoxane (MAO), 23
Molecular rearrangements of diynes coordinated to triosmium carbonyl clusters: the synthesis and structural characterisation of [$Os_3(\mu$-H)$(CO)_{10}\{\mu_3$-η^1:η^3:η^1-Ph(C)$C_9H_6\}$], [$Os_3(\mu$-H)$(CO)_9\{\mu_3$-η^1:η^3:η^1-Ph(C)$C_9H_6\}$] and [$Os_3(\mu$-H)$(CO)_8$(MeCN)$\{\mu_3$-η^1:η^3:η^1-Ph(C)$C_9H_6\}$], 313
N,*N*′-Dialkylbenzamidinate
Further studies of tetrakis(*N*,*N*′-dialkylbenzamidinato)dirutheniu-m(III) chloro and alkynyl compounds: molecular engineering of metallayne monomers, 388
1,3,5,7-Octatetraynediyl carbon rod
Chemistry of the 1,3,5,7-octatetraynediyl carbon rod end-capped by two electron-rich (η^5-C_5Me_5)(η^2-dppe)Fe groups, 368
Olefin polymers
The synthesis and X-ray structure of *trans*-$NiCl_2$(1,3-bis(2,6-diisopropylphenyl)imidazol-2-ylidene)$_2$; attempts to polymerize olefins utilizing a nickel(II) complex of a sterically demanding *N*-heterocyclic carbene, 114
Olefin trimerisation
Coordination chemistry of the activation of [(triazacyclohexane)$CrCl_3$] with [$PhNMe_2H$][$B(C_6F_5)_4$] and AlR_3, 200
Organoiron complex
Chemistry of the 1,3,5,7-octatetraynediyl carbon rod end-capped by

two electron-rich (η^5-C_5Me_5)(η^2-dppe)Fe groups, 368
Organometallic polymers
New carbon-rich organometallic architectures based on cyclobutadienecyclopentadienylcobalt and ferrocene modules, 269
Osmium
Carbon-rich organometallic materials derived from 4-ethynylphenylferrocene, 341
Molecular rearrangements of diynes coordinated to triosmium carbonyl clusters: the synthesis and structural characterisation of $[Os_3(\mu\text{-}H)(CO)_{10}\{\mu_3\text{-}\eta^1\text{:}\eta^3\text{:}\eta^1\text{-}Ph(C)C_9H_6)\}]$, $[Os_3(\mu\text{-}H)(CO)_9\{\mu_3\text{-}\eta^1\text{:}\eta^3\text{:}\eta^1\text{-}Ph(C)C_9H_6)\}]$ and $[Os_3(\mu\text{-}H)(CO)_8(MeCN)\{\mu_3\text{-}\eta^1\text{:}\eta^3\text{:}\eta^1\text{-}Ph(C)C_9H_6)\}]$, 313
The activation and transformations of acenaphthylene by osmium carbonyl cluster complexes, 421
Oxo
Titanium and zirconium chloro, oxo and alkyl derivatives containing silyl-cyclopentadienyl ligands. Synthesis and characterisation, 70
Palladium
Synthesis of dialkyl, diaryl and metallacyclic complexes of Ni and Pd containing pyridine, α-diimines and other nitrogen ligands: Crystal structures of the complexes *cis*-NiR_2py_2 (R = benzyl, mesityl), 220
Palladium catalysis
Preparation of models and oligomers of metal alkynyls: NMR, GPC and X-ray structural characterization of building blocks for the construction of molecular devices, 406
Palladium dichloromethyl complexes
Photochemical synthesis of a palladium dichloromethyl complex, {(hexyl)HC(*N*-methyl-imidazol-2-yl)$_2$}Pd($CHCl_2$)Cl. X-ray molecular structures of {(hexyl)HC(*N*-methylimidazolyl-2-yl)$_2$}Pd(X)Cl, X = Cl, and $CHCl_2$, 240
Palladium(II)
Synthesis and crystallographic characterization of a 'palladadehydrobenzo[19]annulene', 430
Pd-catalysis
New carbon-rich organometallic architectures based on cyclobutadienecyclopentadienylcobalt and ferrocene modules, 269
Phenyl
Organometallic and related imidotitanium compounds containing a pendant arm functionalised benzamidinate ligand, 120
Phosphine–gold(I) complexes
Preparation and molecular structures of some complexes containing C_5 chains, 398
Photochemical synthesis
Photochemical synthesis of a palladium dichloromethyl complex, {(hexyl)HC(*N*-methyl-imidazol-2-yl)$_2$}Pd($CHCl_2$)Cl. X-ray molecular structures of {(hexyl)HC(*N*-methylimidazolyl-2-yl)$_2$}Pd(X)Cl, X = Cl, and $CHCl_2$, 240
Platinacycles
Using ligand exchange reactions to control the coordination environment of Pt(II) acetylide complexes: applications to conjugated metallacyclynes, 379
Platinum
Carbon-rich organometallic materials derived from 4-ethynylphenylferrocene, 341
Platinum acetylide
Using ligand exchange reactions to control the coordination environment of Pt(II) acetylide complexes: applications to conjugated metallacyclynes, 379
Platinum(II)
Synthesis and crystallographic characterization of a 'palladadehydrobenzo[19]annulene', 430
Polycyclic aromatics
Organometallic chemistry at the edge of polycyclic aromatic hydrocarbons, 288
Polyethylene
^{1}H-, ^{13}C-NMR and ethylene polymerization studies of zirconocene/MAO catalysts: effect of the ligand structure on the formation of active intermediates and polymerization kinetics, 92
Polymerization
β-Diketiminate complexes of Group 4: active complexes for the isomerization of α-olefins and the polymerization of propylene towards elastomeric polypropylene, 165
Polymetallaaryleneethynylene
Preparation of models and oligomers of metal alkynyls: NMR, GPC and X-ray structural characterization of building blocks for the construction of molecular devices, 406
Polysterene
^{13}C-NMR study of Ti(IV) species formed by Cp*$TiMe_3$ and Cp*$TiCl_3$ activation with methylaluminoxane (MAO), 23
Polystyrene
α-Methyl-benzylcalcium complexes: syntheses, structures and reactivity, 56
Propargyl cation
Tetrahydrofuran-mediated radical processes: stereoselective synthesis of D,L-hexestrol, 324
Propargyl radical
Tetrahydrofuran-mediated radical processes: stereoselective synthesis of D,L-hexestrol, 324
Propenylidene complexes
A new method for the preparation of *N*-stabilized allenylidene complexes of chromium and tungsten, 301
Propylene dimers
Propylene bulk phase oligomerization with bisiminepyridine iron complexes in a calorimeter: mechanistic investigation of 1,2 versus 2,1 propylene insertion, 209
Propylene oligomerization
Propylene bulk phase oligomerization with bisiminepyridine iron complexes in a calorimeter: mechanistic investigation of 1,2 versus 2,1 propylene insertion, 209
Reactivity
Structure and reactivity of mono- and dinuclear diiminate zinc alkyl complexes, 137
Rh complex
Synthesis and catalytic activity of rhodium diene complexes bearing indenyl-type fullerene η^5-ligand, 295
Ring-opening polymerization
Synthesis, structure and reactivity of new yttrium bis(dimethylsilyl)amido and bis(trimethylsilyl)methyl complexes of a tetradentate bis(phenoxide) ligand, 131
Ruthenium
Synthesis of $[TpRu(CO)(PPh_3)]_2(\mu\text{-}CH{=}CH{-}CH{=}CH{-}C_6H_4{-}CH{=}CH{-}CH{=}CH)$ from Wittig reactions, 331
Schiff base complexes
Biaryl-bridged Schiff base complexes of zirconium alkyls: synthesis structure and stability, 103
Silylmethyls
Synthesis and structures of crystalline lithium 1-azaallyls and a 1,3-diazaallyl derived from $Li\{CH(SiMe_3)(SiMe_{3-n}(OMe)_n)\}$ (n = 1 or 2) and $Li\{CH(SiMe_2OMe)_2\}$ and RCN (R = ^{t}Bu, Ph, 2,5-$Me_2C_6H_3$, or Ad), 83
Sterical demand of the ligand system
Propylene bulk phase oligomerization with bisiminepyridine iron complexes in a calorimeter: mechanistic investigation of 1,2 versus 2,1 propylene insertion, 209
Structure–property relations
^{1}H-, ^{13}C-NMR and ethylene polymerization studies of zirconocene/MAO catalysts: effect of the ligand structure on the formation of active intermediates and polymerization kinetics, 92
Substituent effects
Synthesis, structure, electronic properties and thermal behavior of butadiynyl substituted phenyl$Cr(CO)_3$-complexes, 354
Synthesis

A counterintuitive, yet efficient synthesis of bis(indenyl)zirconium dihalides, 2
Biaryl-bridged Schiff base complexes of zirconium alkyls: synthesis structure and stability, 103
Tetrahydrofuran
Monomeric f-element chemistry with sterically encumbered allyl ligands, 149
Tetramethyl cyclopentadienyl
Hydro- and chloro-substituted silyl- and silyl-η^1-amido-η^5-tetramethylcyclopentadienyl titanium complexes, 155
Thermolysis
Synthesis, structure, electronic properties and thermal behavior of butadiynyl substituted phenyl$Cr(CO)_3$-complexes, 354
Titanium
β-Diketiminate complexes of Group 4: active complexes for the isomerization of α-olefins and the polymerization of propylene towards elastomeric polypropylene, 165
Group 4 metallocene complexes incorporating vinyl or allyl substituted *ansa* ligands. X-Ray crystal structures of $[Zr\{Me(CH_2{=}CH)Si(\eta^5\text{-}C_5Me_4)_2\}Cl_2]$, $[Zr\{Me(CH_2{=}CHCH_2)Si(\eta^5\text{-}C_5H_4)_2\}Cl_2]$ and $[Zr\{Me(CH_2{=}CHCH_2)Si(\eta^5\text{-}C_5Me_4)(\eta^5\text{-}C_5H_4)\}Cl_2]$, 11
Hydro- and chloro-substituted silyl- and silyl-η^1-amido-η^5-tetramethylcyclopentadienyl titanium complexes, 155
Organometallic and related imidotitanium compounds containing a pendant arm functionalised benzamidinate ligand, 120
Titanium and zirconium chloro, oxo and alkyl derivatives containing silyl-cyclopentadienyl ligands. Synthesis and characterisation, 70
Transition-metal allyl complexes
Theoretical exploration of structure–reactivity relationships in organometallic chemistry: butadiene insertion into the organyl–transition-metal bond and conversion of the allyl–transition-metal fragment in the $[Ni^{II}(\eta^5\text{-Cp})(\eta^1\text{-phenyl})(\eta^2\text{-butadiene})]$ complex, 181
Transition metal chemistry
^{1}H-, ^{13}C-NMR and ethylene polymerization studies of zirconocene/MAO catalysts: effect of the ligand structure on the formation of active intermediates and polymerization kinetics, 92
Tricobaltcarbon cluster
Preparation and molecular structures of some complexes containing C_5 chains, 398
Trimethylphosphine
Synthesis and structure of the edge-bridged open zirconocene, $Zr(6,6\text{-dmch})_2(PMe_3)_2$ (dmch = dimethylcyclohexadienyl), and its imine coupling product, 64
Trimethylsilyl group
Homoleptic allyl complexes of chromium with trimethylsilylated ligands. Formation and molecular structure of $\{[1\text{-}(SiMe_3)C_3H_4]_2Cr\}_2$, $[1,3\text{-}(SiMe_3)_2C_3H_3]_2Cr$, and $[1,1',3\text{-}(SiMe_3)_3C_3H_2]_2Cr$, 191
Tungsten
A new method for the preparation of *N*-stabilized allenylidene complexes of chromium and tungsten, 301
Vinyl
Group 4 metallocene complexes incorporating vinyl or allyl substituted *ansa* ligands. X-Ray crystal structures of $[Zr\{Me(CH_2{=}CH)Si(\eta^5\text{-}C_5Me_4)_2\}Cl_2]$, $[Zr\{Me(CH_2{=}CHCH_2)Si(\eta^5\text{-}C_5H_4)_2\}Cl_2]$ and $[Zr\{Me(CH_2{=}CHCH_2)Si(\eta^5\text{-}C_5Me_4)(\eta^5\text{-}C_5H_4)\}Cl_2]$, 11
Wittig reactions
Synthesis of $[TpRu(CO)(PPh_3)]_2(\mu\text{-}CH{=}CH{-}CH{=}CH{-}C_6H_4{-}CH{=}CH{-}CH{=}CH)$ from Wittig reactions, 331
X-ray crystal structures
Molecular rearrangements of diynes coordinated to triosmium carbonyl clusters: the synthesis and structural characterisation of $[Os_3(\mu\text{-}H)(CO)_{10}\{\mu_3\text{-}\eta^1{:}\eta^3{:}\eta^1\text{-}P'\ (C)C_9H_6)\}]$, $[Os_3(\mu\text{-}H)(CO)_9\{\mu_3\text{-}\eta^1{:}\eta^3{:}\eta^1\text{-}Ph(C)C_9H_6)\}]$ and $[Os_3(\mu\text{-}H)(CO)_8(MeCN)\{\mu_3\text{-}\eta^1{:}\eta^3{:}\eta^1\text{-}Ph(C)C_9H_6)\}]$, 313
X-ray structure
β-Diketiminate complexes of Group 4: active complexes for the isomerization of α-olefins and the polymerization of propylene towards elastomeric polypropylene, 165
Synthesis and crystallographic characterization of a 'palladadehydrobenzo[19]annulene', 430
Tetrahydrofuran-mediated radical processes: stereoselective synthesis of D,L-hexestrol, 324
X-ray structures
Synthesis and structures of crystalline lithium 1-azaallyls and a 1,3-diazaallyl derived from $Li\{CH(SiMe_3)(SiMe_{3-n}(OMe)_n)\}$ ($n = 1$ or 2) and $Li\{CH(SiMe_2OMe)_2\}$ and RCN (R = ^{t}Bu, Ph, 2,5-$Me_2C_6H_3$, or Ad), 83
Yttrium
Synthesis, structure and reactivity of new yttrium bis(dimethylsilyl)amido and bis(trimethylsilyl)methyl complexes of a tetradentate bis(phenoxide) ligand, 131
Ziegler-Natta polymerization
Synthesis and characterization of cationic and zwitterionic allyl zirconium complexes derived from trimethylenemethane (TMM) cyclopentadienylzirconium acetamidinates, 29
Zinc alkyl complexes
Structure and reactivity of mono- and dinuclear diiminate zinc alkyl complexes, 137
Zirconium
A counterintuitive, yet efficient synthesis of bis(indenyl)zirconium dihalides, 2
β-Diketiminate complexes of Group 4: active complexes for the isomerization of α-olefins and the polymerization of propylene towards elastomeric polypropylene, 165
Group 4 metallocene complexes incorporating vinyl or allyl substituted *ansa* ligands. X-Ray crystal structures of $[Zr\{Me(CH_2{=}CH)Si(\eta^5\text{-}C_5Me_4)_2\}Cl_2]$, $[Zr\{Me(CH_2{=}CHCH_2)Si(\eta^5\text{-}C_5H_4)_2\}Cl_2]$ and $[Zr\{Me(CH_2{=}CHCH_2)Si(\eta^5\text{-}C_5Me_4)(\eta^5\text{-}C_5H_4)\}Cl_2]$, 11
Organometallic chemistry at the edge of polycyclic aromatic hydrocarbons, 288
Synthesis and structure of the edge-bridged open zirconocene, $Zr(6,6\text{-dmch})_2(PMe_3)_2$ (dmch = dimethylcyclohexadienyl), and its imine coupling product, 64
Titanium and zirconium chloro, oxo and alkyl derivatives containing silyl-cyclopentadienyl ligands. Synthesis and characterisation, 70
Zirconium alkyls
Biaryl-bridged Schiff base complexes of zirconium alkyls: synthesis structure and stability, 103
Zwitterionic allyl complexes
Synthesis and characterization of cationic and zwitterionic allyl zirconium complexes derived from trimethylenemethane (TMM) cyclopentadienylzirconium acetamidinates, 29